

# THE BOTANICAL MAGAZINE TOKYO

VOL. 101 (1988)

Numbers 1061-1064, Pages 1-544

## EDITORIAL BOARD

- NOBORU HARA : Editor-in-Chief, *Department of Biology, University of Tokyo, Komaba, Meguro-ku, Tokyo 153*
- KUNIO IWATSUKI : Editor, *Botanical Gardens, University of Tokyo, Hakusan, Bunkyo-ku, Tokyo 112*
- MASAYUKI KATSUMI : Editor, *Department of Biology, International Christian University, Mitaka, Tokyo 181*
- ZENNOSKE IWATSUKI, *Hiroshima University*
- SHOICHI KAWANO, *Kyoto University*
- ATSUSHI KOMAMINE, *Tohoku University*
- TSUNEYOSHI KUROIWA, *University of Tokyo*
- TATSUO OKU, *Kyushu University*
- MASAYUKI TAKAHASHI, *University of Tokyo*
- MASAKAZU TATEWAKI, *Hokkaido University*
- MASAMITSU WADA, *Tokyo Metropolitan University*
- KYOJI YODA, *Osaka City University*

THE BOTANICAL SOCIETY OF JAPAN



# CONTENTS

## THE BOTANICAL MAGAZINE, TOKYO

Vol. 101

### No. 1061 (March 1988)

YOKOTA, M., S. HIGA, H. YOSHIOKA AND K. SHIMABUKU: <i>Viola stoloniflora</i> (Violaceae), a New Species from the Ryukyus .....	1
RAJU, M.V.S., A. WALTHER AND W.A. QUICK: Growth and Development of Embryo Parts during the Germination of Caryopses of the Wild Oat ( <i>Avena fatua</i> L.) .....	9
FUKUDA, Y.: Phyllotaxis in Two Species of <i>Rubia</i> , <i>R. akane</i> and <i>R. sikkimensis</i> .....	25
SOH, W.Y., S.S. HONG AND D.Y. CHO: The Ontogeny of the Vascular Cambium in <i>Ginkgo biloba</i> Roots .....	39
AGUINAGALDE, I.: Flavonoids in <i>Brassica nigra</i> (L.) Koch, <i>B. oleracea</i> L., <i>B. campestris</i> L. and Their Natural Amphidiploids .....	55
YAMAMOTO, S.: Seedling Recruitment of <i>Chamaecyparis obtusa</i> and <i>Sciadopitys verticillata</i> in Different Microenvironments in an Old-Growth <i>Sciadopitys verticillata</i> Forest .....	61
MARIKO, S.: Maintenance and Constructive Respiration in Various Organs of <i>Helianthus annuus</i> L. and <i>Zinnia elegans</i> L. ....	73

### INVITED ARTICLE

MOHR, H.: Control of Plant Development: Signals from Without — Signals from Within .....	79
--	----

### No. 1062 (June 1988)

TANAKA, O., Y. TANAKA AND H. WADA: Photonastic and Thermonastic Opening of Capitulum in Dandelion, <i>Taraxacum officinale</i> and <i>Taraxacum japonicum</i> .....	103
WADA, M. AND T. MURATA: Photocontrol of the Orientation of Cell Division in <i>Adiantum</i> IV. Light-Induced Cell Flattening Preceding Two-Dimensional Growth .....	111
UCHINO, A. AND H. KANAZAWA: Structure and Dynamics of Natural Populations of Polyploid Trilliums IV. Predominant Self-Pollination in the Tetraploid Species, <i>Trillium apetalon</i> Makino .....	121
HARA, A., H. HASHIMOTO, H. MOROTA, H. HARADA AND H. UCHIMIYA: Evidence for the Location of Foreign Genes in Three Different Chromosomes in a Plant Obtained from Direct DNA Transfer .....	131
UENO, O., T. TAKEDA AND E. MAEDA: Leaf Ultrastructure of $C_4$ Species Possessing Different Kranz Anatomical Types in the Cyperaceae .....	141
YAMAKURA, T.: An Empirical Approach to the Analysis of Forest Stratification II. Quasi-1/2 Power Law of Tree Height in Stratified Forest Communities .....	153
ORII, H., Y. TANAKA AND K. YANAGISAWA: Developmentally and cAMP Regulated Gene Expression of the Plasmid pDG1 in <i>Dictyostelium discoideum</i> Transformant .....	163
IWASHINA, T., S. OOTANI AND K. HAYASHI: On the Pigmented Spherical Bodies and Crystals in Tepals of Cactaceous Species in Reference to the Nature of Betalains or Flavonols .....	175
RAJBHANDARI, K.R. AND H. OHBA: Epidermal Microstructures of the Leaf, Prophyll and Nut in the Himalayan Species of <i>Kobresia</i> (Cyperaceae) .....	185
OGAWA, K. AND T.N. TATEOKA: NAD-Dependent Shikimate Dehydrogenase from Mung Bean Cells in Suspension Culture .....	203



KOHYAMA, T.: A Function Describing All-Sized Trunk Diameter Distribution in Warm-Temperate Rain Forests .....	207
---	-----

### No. 1063 (September 1988)

WATANO, Y. AND K. IWATSUKI: Genetic Variation in the 'Japanese Apogamous Form' of the Fern <i>Asplenium unilaterale</i> Lam. ....	213
KOSUGE, K. AND M. TAMURA: Morphology of the Petal in <i>Aconitum</i> .....	223
KOBAYASI, H. AND T. NAGUMO: Examination of the Type Materials of <i>Navicula subtilissima</i> Cleve (Bacillariophyceae) .....	239
HORIGUCHI, T. AND M. CHIHARA: Life Cycle, Behavior and Morphology of a New Tide Pool Dinoflagellate, <i>Gymnodinium pyrenoidosum</i> sp. nov. (Gymnodiniales, Pyrrhophyta) .....	255
SATO, T. AND S. TSUYUZAKI: Quantitative Comparison of Foliage Development among <i>Dryopteris monticola</i> , <i>D. tokyoensis</i> and a Putative Hybrid, <i>D. kominatoensis</i> in Northern Japan .....	267
ZHOU, T.S. AND N. HARA: Development of Shoot in <i>Hydrangea macrophylla</i> L. Terminal and Axillary Buds .....	281
NISHIDA, M., H. NISHIDA AND T. NASHI: Anatomy and Affinities of the Petrified Plants from the Tertiary of Chile V .....	293
TATEOKA, T. AND H. KOBAYASHI: Taxonomic Studies of the Genus <i>Poa</i> of Japan I. Boundaries between <i>Poa acroleuca</i> , <i>P. hisauchi</i> and <i>P. nipponica</i> : a Reexamination Aided by Chromosome Observations .....	311
HIZUME, M., K. TOMINAGA AND A. TANAKA: Fluorescent Chromosome Banding in <i>Larix leptolepis</i> (Pinaceae) .....	333

### No. 1064 (December 1988)

MINAKI, M., S. NOSHIO AND M. SUZUKI: <i>Hemiptelea mikii</i> sp. nov. (Ulmaceae), Fossil Fruits and Woods from the Pleistocene of Central Japan .....	337
MURAKAMI, N. AND S.-I. HATANAKA: Chemotaxonomic Studies of <i>Asplenium</i> sect. <i>Hymenasplenium</i> (Aspleniaceae) .....	353
TAKAHASHI, A. AND M. KATO: Developmental Anatomy of Vascular Cambium and Periderm of <i>Botrypus virginianus</i> and Its Bearing on the Systematic Position of Ophioglossaceae .....	373
TAKAHASHI, A.: Morphology and Ontogeny of Stem Xylem Elements in <i>Sarcandra glabra</i> (Thunb.) Nakai (Chloranthaceae): Additional Evidence for the Occurrence of Vessels .....	387
NISHIDA, H. AND M. NISHIDA: <i>Protomonimia kasai-nakajhongii</i> gen. et sp. nov.: a Permian-ized Magnolian Fructification from the Mid-Cretaceous of Japan .....	397
RIDGE, R.W.: Freeze-Substitution Improves the Ultrastructural Preservation of Legume Root Hairs .....	427
MARIKO, S.: Plant Growth in Relation to Ontogenetic Changes in Productive Characteristics of Individual Leaves I. Growth and Productive Characteristics of <i>Helianthus annuus</i> and <i>Zinnia elegans</i> Leaves .....	443
RAWAT, R., D.K. AWASTHI AND V. KUMAR: Floral Ontogeny in <i>Mazus pumilus</i> (Scrophulariaceae) .....	459
TAKAHASHI, A. AND M. SUZUKI: Two New Fossil Woods of <i>Acer</i> and a New Combination of <i>Prunus</i> from the Tertiary of Japan .....	473
HABER, E. AND H. TAKAHASHI: A Comparative Study of the North American <i>Pyrola asarifolia</i> and Its Asian Vicariad, <i>P. incarnata</i> (Ericaceae) .....	483
SAKAGUCHI, S., T. HOGETSU AND N. HARA: Arrangement of Cortical Microtubules at the	

Surface of the Shoot Apex in <i>Vinca major</i> L.: Observations by Immunofluorescence Microscopy .....	497
KOIWA, H., T. IKEDA AND Y. YOSHIDA: Differential Processing of Plastid Development during Sporangial Ontogeny in <i>Thelypteris palustris</i> Schott .....	509
WADA, M.: Chloroplast Proliferation Based on Their Distribution and Arrangement in <i>Adiantum</i> Protonemata Growing under Red Light .....	519
RANDI, A.M. AND G.M. FELIPPE: Mobilization of Storage Reserves during <i>Cyathea delgadii</i> Spore Germination .....	529

#### INVITED ARTICLE

SHIMMEN, T.: Characean Actin Bundles as a Tool for Studying Actomyosin-Based Motility .....	533
---	-----

## AUTHOR INDEX

## THE BOTANICAL MAGAZINE, TOKYO

Vol. 101

AGUINAGALDE, I.	55	MURATA, T.	111
AWASTHI, D.K.	459	NAGUMO, T.	239
CHIHARA, M.	255	NASA, T.	293
CHO, D.Y.	39	NISHIDA, H.	293, 397
FELIPPE, G.M.	529	NISHIDA, M.	293, 397
FUKUDA, Y.	25	NOSHIRO, S.	337
HABER, E.	483	OGAWA, K.	203
HARA, A.	131	OHBA, H.	185
HARA, N.	281, 497	OOTANI, S.	175
HARADA, H.	131	ORII, H.	163
HASHIMOTO, H.	131	QUICK, W.A.	9
HATANAKA, S.-I.	353	RAJBHANDARI, K.R.	185
HAYASHI, K.	175	RAJU, M.V.S.	9
HIGA, S.	1	RANDI, A.M.	529
HIZUME, M.	333	RAWAT, R.	459
HOGETSU, T.	497	RIDGE, R.W.	427
HONG, S.S.	39	SAKAGUCHI, S.	497
HORIGUCHI, T.	255	SATO, T.	267
IKEDA, T.	509	SHIMABUKU, K.	1
IWASHINA, T.	175	SHIMMEN, T.	533
IWATSUKI, K.	213	SOH, W.Y.	39
KANAZAWA, H.	121	SUZUKI, M.	337, 473
KATO, M.	373	TAKAHASHI, A.	373, 387, 473
KOBA, H.	311	TAKAHASHI, H.	483
KOBAYASHI, H.	239	TAKEDA, T.	141
KOHYAMA, T.	207	TAMURA, M.	223
KOIWA, H.	509	TANAKA, A.	333
KOSUGE, K.	223	TANAKA, O.	103
KUMAR, V.	459	TANAKA, YOSHIMASA	163
MAEDA, E.	141	TANAKA, YUUJI	103
MARIKO, S.	73, 443	TATEOKA, T.	311
MINAKI, M.	337	TATEOKA, T.N.	203
MOHR, H.	79	TOMINAGA, K.	333
MOROTA, H.	131	TSUYUZAKI, S.	267
MURAKAMI, N.	353	UCHIMIYA, H.	131



UCHINO, A.	121
UENO, O.	141
WADA, H.	103
WADA, M.	111, 519
WALTHER, A.	9
WATANO, Y.	213
YAMAKURA, T.	153

YAMAMOTO, S.	61
YANAGISAWA, K.	163
YOKOTA, M.	1
YOSHIDA, Y.	509
YOSHIOKA, H.	1
ZHOU, T.S.	281

## Index of Key Words

- |  |          |                                 |          |
|--|----------|---------------------------------|----------|
| <b>A</b>                                     |          | <i>Cyathea delgadii</i>         | 529      |
| <i>Acer</i>                                  | 473      | Cyclic AMP                      | 163      |
| <i>Aconitum</i>                              | 223      | Cyperaceae                      | 141      |
| Actin  | 533      | Cytoplasmic streaming           | 533      |
| <i>Adiantum capillus-veneris</i> (fern)      | 111, 519 | Cytotaxonomy                    | 311      |
| <i>Aextoxicoxylon</i>                        | 293      |                                 |          |
| Angiosperm                                   | 397      | <b>D</b>                        |          |
| Apogamy                                      | 213      | DNA transformation              | 131      |
| Aspleniaceae                                 | 353      | Dbh distribution                | 207      |
| <i>Asplenium</i> sect. <i>Hymenasplenium</i> | 353      | Developmental anatomy           | 373      |
| <i>Asplenium unilaterale</i>                 | 213      | Diatom                          | 239      |
| <i>Astrophytum</i>                           | 175      | <i>Dictyostelium</i>            | 163      |
| <i>Avena fatua</i> (wild oat)                | 9        | Differential plastids           | 509      |
| Axillary bud                                 | 281      | Differentiation                 | 459      |
|  |          | Dinoflagellate                  | 255      |
| <b>B</b>                                     |          | Dissection index (DI)           | 267      |
| Bacillariophyceae                            | 239      | Disturbance                     | 61       |
| Basal area distribution                      | 207      | <i>Dryopteris kominatoensis</i> | 267      |
| Betalains                                    | 175      | <i>Dryopteris monticola</i>     | 267      |
| Bijugy                                       | 25       | <i>Dryopteris tokyoensis</i>    | 267      |
| Biosynthesis                                 | 353      |                                 |          |
| <i>Botrychium</i>                            | 373      | <b>E</b>                        |          |
| <i>Brassica</i> species and hybrids          | 55       | Electrophoresis                 | 213      |
|  |          | Endosperm nuclei                | 121      |
| <b>C</b>                                     |          | Epidermal microstructures       | 185      |
| C <sub>4</sub> plants                        | 141      |                                 |          |
| Cactaceae                                    | 175      | <b>F</b>                        |          |
| Calcium                                      | 533      | Fern                            | 519      |
| Cambial initials                             | 39       | Flavonol glycosides             | 55       |
| Cambium                                      | 373      | Flavonols                       | 483      |
| Capitulum                                    | 103      | Floral histogenesis             | 459      |
| Cell division                                | 111      | Flower-opening and closing      | 103      |
| Cell suspension culture                      | 203      | Fluorescent chromosome banding  | 333      |
| Cellular slime mold                          | 163      | Foliage development             | 267      |
| Cellulose microfibril                        | 497      | Forest dynamics                 | 207      |
| <i>Chamaecyparis obtusa</i>                  | 61       | Forest stratification           | 153      |
| Characeae                                    | 533      | Fossil fruit                    | 337      |
| Chemotaxonomy                                | 353      | Fossil wood                     | 337, 473 |
| Chloranthaceae                               | 387      | Freeze-substitution             | 427      |
| Chloroplast (proliferation)                  | 519      | Fructification                  | 397      |
| Chromosome polymorphism                      | 121      |                                 |          |
| Cladistics                                   | 353      | <b>G</b>                        |          |
| Coated pits and vesicles                     | 427      | Gap                             | 61       |
| Coleorhiza                                   | 9        | Gene expression                 | 163      |
| Community                                    | 153      | Gene expression, control of     | 79       |
| Competence                                   | 79       | Geographical distribution       | 483      |
| Cortical microtubule                         | 497      | Germination                     | 9        |
| Cretaceous                                   | 397      | <i>Ginkgo biloba</i>            | 39       |



Gymnodiniales	255	N	
<i>Gymnodinium pyrenoidosum</i> sp. nov.	255	NADP-malic enzyme type	141
Gymnosperm	333	Natural population	121
<b>H</b>		<i>Navicula micropunctata</i>	239
<i>Helianthus annuus</i>	73, 443	<i>Navicula parasubtilissima</i>	239
<i>Hemiptelea mikii</i>	337	<i>Navicula subtilissima</i>	239
Homogeneous and heterogeneous		<i>Nicotiana tabacum</i>	131
procambial structure	39	Nodal anatomy	25
Hybrid characterization	55	Non-equilibrium coexistence	61
Hybrid origin	213	Non-protein amino acid	353
<i>Hydrangea</i>	281	Number of veins (NV)	267
<b>I</b>		Nut	185
Immunofluorescence	497	<b>O</b>	
Interorgan signal transmission	79	Okinawa Island	1
Isozyme	213	Ontogeny	223
Isozymes	203	Orientation (cell plate)	111
<b>J</b>		<b>P</b>	
Japan	473	Peltate	223
<b>K</b>		Permineralized	397
Karyotype	333	Petal	223
<i>Kobresia</i>	185	Petrified woods	293
<b>L</b>		Photomorphogenesis	79
<i>Larix leptolepis</i>	333	Photonastic movement	103
<i>Laurelites</i>	293	Photosynthetic characteristics	443
<i>Laurinoxylon</i>	293	Phyllotaxis	25
Leaf	185	Phylogeny	55
Leaf formation	497	Phytochrome	79
Leaf growth	443	Pigment crystals	175
Leaf ontogeny	443	Pigmented spherical body	175
Leaf ultrastructure	141	Pinaceae	333
Leaves, stems and roots	73	Plasmid	163
Legume root hair ultrastructure	427	Plastidic factor	79
Life cycle	255	Pleistocene	337
Light	111	Pliciform nucleus	427
Lipids	529	<i>Poa acroleuca</i>	311
<b>M</b>		<i>Poa hisauchi</i>	311
<i>MNY</i> -method	207	<i>Poa nipponica</i>	311
Magnoliales	397	Pollination	121
Maintenance and constructive respiration	73	Progymnosperm	373
<i>Mazus pumilus</i>	459	Prophyll	185
Mestome sheath	141	Proteins	529
Microfilaments	427	Protonema	111
Morphological variability	483	Protonema (fern)	519
Mung bean ( <i>Phaseolus mungo</i> )	203	Protoplasts	131
Myosin	533	<i>Prunus</i>	473
<i>Myroecugenellites</i>	293	Pyridine nucleotide requirement	203
		Pyriiformis vesicles	427
		<i>Pyrola asarifolia</i>	483
		<i>Pyrola incarnata</i>	483
		<i>Pyrola rotundifolia</i>	483
		Pyrrhophyta taxonomy	255

<b>Q</b>					
Quasi-1/2 power law	153		Terminal bud	281	
<b>R</b>			Tertiary	293	
Ranunculaceae	223		The Ryukyus	1	
<i>Rebutia</i>	175		<i>Thelypteris</i> fern	509	
Red light	519		Thermonastic movement	103	
Respiration	443		Transformation	163	
Root	9		Tree density	153	
Root cambium	39		Tree height	153	
<i>Rubia</i>	25		<i>Trillium</i>	121	
<b>S</b>			Two-dimensional growth	111	
<i>Sarcandra</i>	387		<b>U</b>		
<i>Sciadopitys verticillata</i>	61		Ulmaceae	337	
Scrophulariaceae	459		<b>V</b>		
Secondary bud	281		Vascular course	25	
Secondary tissue	373		Vesselless dicotyledons	387	
Seedling recruitment	61		<i>Vinca</i>	497	
Shikimate dehydrogenase	203		<i>Viola</i>	1	
Shoot apex	497		<i>Viola stoloniflora</i>	1	
Sporangial ontogeny	509		Violaceae	1	
Starch	529		<b>W</b>		
Storage reserves	529		Warm-temperate rain forest	207	
Suberized lamella	141		Water bloom	255	
Subpopulation	153		Wood anatomy	387	
Subsection <i>Serpentes</i>	1		<b>Y</b>		
Sugars	529		Yakushima Island	207	
<b>T</b>			<b>Z</b>		
<i>Taraxacum</i>	103		<i>Zinnia elegans</i>	73, 443	
Taxonomy	239				
Taxonomy of <i>Poa</i>	311				

## Acknowledgement to Reviewers for Vol. 101

The Editorial Board is grateful to the following reviewers for their cooperation in examining the manuscripts submitted to the Botanical Magazine, Tokyo, Vol. 101.

ARUGA, Y.	NISHINO, E.
CHIHARA, M.	OCHIAI, H.
FUJII, T.	OHBA, H.
FUKUDA, I.	OIKAWA, T.
FUKUDA, Y.	ONO, K.
HARA, T.	OZEKI, Y.
HARADA, H.	SAEKI, T.
HATANAKA, S.	SANO, H.
IKUSHIMA, I.	SATO, S.
ISHIKURA, N.	SHIBAOKA, H.
ITO, M.	SHIMIZU, H.
ITO, T.	SHONO, K.
KACHI, N.	SOMA, K.
KAMISAKA, S.	SUGAI, M.
KANAI, R.	SUZUKI, H.
KASHIWADANI, H.	SUZUKI, M.
KATO, M.	TAKAHASHI, M.
KAWAGUCHI, A.	TAKENO, K.
KIKUZAWA, K.	TAKEUCHI, I.
KIMURA, M.	TAKIMOTO, A.
KURAISHI, S.	TAMURA, M.
KURITA, S.	TANAI, T.
KUROIWA, S.	TANAKA, J.
MAEDA, Y.	TATEOKA, T.
MASUDA, Y.	TSUJI, H.
MATSUMOTO, H.	UEDA, Ka.
MATSUSHIMA, H.	UEDA, Ku.
MINAMIKAWA, T.	UMEZAKI, I.
MURAKAMI, S.	WATANABE, K.
NAGATA, T.	YAMAZAKI, T.
NAKAMURA, H.	YOKOI, Y.
NISHI, K.	YOSHIDA, O.
NISHIDA, M.	YOSHIDA, T.





## INSTRUCTIONS TO AUTHORS (Revised November, 1987)

1. The Botanical Magazine, Tokyo is an international journal dedicated to the dissemination of fundamental knowledge in all areas of plant sciences. Only original papers, including short communications, and invited review articles in English will be considered. Short communications should contain important new information and will be published in the earliest possible issue. Manuscripts are accepted for review with the understanding that the same work has not been and will not be published nor is presently being submitted elsewhere and that all persons listed as authors have given their approval for the submission of the paper. By submitting a manuscript, the authors agree that the copyright for their article will be transferred to the Botanical Society of Japan if and when the article is accepted for publication. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform and other reproductions of similar nature, and translations.
2. Manuscripts should be written in clear, concise and grammatical English. In addition to the original typewritten manuscript, two copies each of text material, tables and figures should be submitted. Photographic figures must be submitted in triplicate. Authors who are uncertain about proper English usage should have their manuscripts checked prior to submission by someone proficient in the English language.
3. Full papers are limited to 16 printed pages in length including tables, figures and abstract. Short communications are limited to four printed pages. With the approval of the Editorial Board, additional pages can be published only at the author's expense (2,000 yen per page).
4. If none of the authors is a member of the Botanical Society of Japan, the authors must agree to pay a charge of 2,000 yen for each printed page. In this case, the manuscript, if accepted, will be published only after commitment to pay the charge by the authors or the financial officer of their institution.
5. Preparation of Manuscript Copy:
  - A. Double-space everything. Use good-quality paper of 28×21 cm or A4 size. Each typewritten page usually consists of 25 lines, each line having approximately 65 characters (two and half typewritten pages should be approximately equivalent to one printed page).
  - B. Arrange the manuscript copy in the order listed below and number all pages consecutively, including tables and figures, in the upper right-hand corner. In addition, indicate the following items on a separate cover sheet: (1) name and address for mailing galley proofs, (2) running title with less than 40 characters, and (3) the number of tables and figures.
    - a. Title of the paper, authors' names and institutions and footnotes (abbreviations, symbols, etc.)
    - b. Abstract: This should be a lucid digest of the paper, not exceeding 200 words for a full paper, less than 50 words for a short communication.
    - c. Key words: Alphabetically arrange less than 6 words or phrases which identify the most important subjects covered by the paper.
    - d. Text: Preparation of the text with the headings of Introduction, Materials and Methods, Results, and Discussion is suggested. Short communications should follow the style of full papers, but the headings should be omitted.
    - e. References cited: References cited in the text should be arranged alphabetically according to author on a separate sheet. Each reference should be given in the following order: (1) authors' names, (2) year of publication, (3) title of the

paper, (4) name of the journal (or book), (5) volume and page. Draw a wavy line under the volume number. For a single book, the name of the publisher and its location should be indicated.

Examples :

Bassham, J.A. and M. Calvin. 1957. The Path of Carbon in Photosynthesis. Prentice-Hall, Englewood Cliffs, New Jersey.

Esau, E. 1945. Vascularization of the vegetative shoots in *Helianthus* and *Sambucus*. Amer. J. Bot. 32 : 18-29.

Torrey, J.Q. 1965. Physiological bases of organization and development in the root. In A. Lang, ed., Encyclopedia of Plant Physiology, vol. 15/1, pp. 1256-1327. Springer-Verlag, Berlin.

- f. Tables : In addition to the heading, a lucid legend to explain the meaning of the content without requiring reference to the text should be included below the table. With the approval of the Editorial Board, the folders of tables can be published only at the authors' expense.
  - g. Legends for figures and plates : In addition to the heading, a lucid legend should explain the meaning of the figure without requiring reference to the text. These legends should be grouped on a separate sheet.
  - h. Figures and plates : Plates submitted should be of a size less than  $27 \times 18$  cm. On the back of each figure or plate, indicate the authors' names, the number of the figure and its orientation. If a scale is necessary for the plate, it should be indicated. With the approval of the Editorial Board, colored illustrations can be published only at the authors' expense.
- C. Text references should be made using the authors' names (for three or more authors use Doe *et al.*) followed by the year of publication.


Example :

Hall and Cocking (1966) reported that ———.

——— (Hall and Cocking, 1966).

- D. The place of insertion of tables and/or figures in the text should be indicated on the right-hand margin of the sheet.
  - E. Units of measurement should be of the metric system. Use Arabic numerals. For the use of Latin names, consult the International Code of Botanical Nomenclature.
- 6. Manuscripts not conforming to the aforementioned rules will be returned to the authors.
  - 7. Whether or not the manuscript is accepted, amendment of the manuscript and the order of publication are to be decided by the Editorial Board.
  - 8. Galley proofs will be sent directly from the printing company to the person designated. The authors are responsible for reading the first galley proof. No change of the content of the manuscript is permitted on the galley proof. If the Editorial Board recognizes the necessity for a change, this change will be made at the authors' expense.
  - 9. The authors will receive free of charge 50 offprints without covers. Additional copies and covers can be obtained at cost.
  - 10. All manuscripts should be sent by registered mail to the following address :  
Editorial Office  
The Botanical Society of Japan  
Toshin Building  
Hongo 2-27-2, Bunkyo-ku, Tokyo 113, Japan
  - 11. The manuscripts of the papers published will not be returned to the authors. However, figures and plates will be returned upon request by the authors after the paper has been published.





An International Journal published by  
The Japanese Society of Plant Physiologists

# PLANT AND CELL PHYSIOLOGY

*PLANT AND CELL PHYSIOLOGY* (1 volume of 8 issues per year) is an international journal devoted to publication of original papers of quality in broad areas of the plant sciences that include physiology, biochemistry, biophysics, chemistry, molecular biology, cell biology, and gene engineering of plants and microorganisms.

Members of the Japanese Society of Plant Physiologists are entitled to receive *PLANT AND CELL PHYSIOLOGY* and to submit papers to the Journal. Publication time averages four to six months after submission of a manuscript.

Prospective contributors to *PLANT AND CELL PHYSIOLOGY* should note the following features:

**Two hundred free reprints**

**No page charge**

**No manuscript handling charge**

**Worldwide distribution to more than 60 countries**

**No page limit except for Short Communication**

**No charge for plates (except for color)**

**Proof of electron microscopic plates in three tones**

We invite you to join our Society and to contribute to *PLANT AND CELL PHYSIOLOGY*.

Annual membership fee for individuals is \$40.00 (U.S.) and includes a complimentary subscription to *PLANT AND CELL PHYSIOLOGY*.

Subscriptions from institution also are welcome.

Annual subscription fee for institutions is \$140.00 (U.S.).

To apply, please fill in the following form and mail it to:

**The Japanese Society of Plant Physiologists,**

**Shimotachiuri Ogawa-Higashi, Kamikyo-ku, Kyoto 602, Japan**



## APPLICATION FORM FOR INDIVIDUAL MEMBERSHIP AND INSTITUTE SUBSCRIPTION

Name\*: .....

Address\*: .....

Country\*: .....

Check the appropriate blank.

☐ \$ 40.00 (U.S.) for individual membership enclosed\*\*

☐ \$140.00 (U.S.) for institute subscription enclosed\*\*

☐ Please send bill for individual membership

☐ Please send bill for institute subscription

Date ..... Signature .....

\* Type or print in block capitals.

\*\* Use International Postal Money Order or International Giro Postal Transfer (Postal Account No. Kyoto 3-31696/JSPP). Personal check and Bank Money Order should add \$13.00 for bank handling charge.

---

## DEVELOPMENTAL PHYSIOLOGY OF HORTICULTURAL CROPS

Guest Editors: E.E. Goldschmidt and R. Goren

ISRAEL JOURNAL OF BOTANY, Vol. 37, Nos. 2-4, 1988

This special issue including 16 original and review articles is devoted to the memory of Shaul P. Monselise, 'James de Rothschild' Professor of Horticulture at the Faculty of Agriculture, The Hebrew University of Jerusalem, Israel.

### CONTENTS

- Shaul P. Monselise: The Man and the Scientist *R. Goren*  
List of publications of Professor Shaul P. Monselise  
Regulation of water stress-induced ethylene in citrus leaves *J. Riov and R. Hausman*  
Pithiness in plants. II. The nature of pithiness in bean stems and its control by environmental perturbation and ethylene *M. J. Jaffe and L. A. Lineberry*  
Anatomical changes induced by ethylene in the abscission zone of citrus leaf and fruit explants *M. Huberman, E. Zamski and R. Goren*  
Epigenetic regulation in plants (Minireview) *F. Zucconi*  
Regulatory aspects of chloro—chromoplast interconversions in senescing citrus fruit peel (Minireview) *E. E. Goldschmidt*  
A comprehensive California field study of the influence of preharvest applications of gibberellic acid on the rind quality of Valencia oranges *C. W. Coggins, Jr. and G. L. Henning*  
The use of growth retardants in citriculture (Minireview) *A. R. Harty and J. van Staden*  
Effect of paclobutrazol and gibberellic acid (GA<sub>3</sub>) on the root growth and biomass partitioning of citrus leaf cuttings *E. Salomon*  
Effects of girdling on the differentiation of inflorescence types and fruit set in 'Shamouti' orange trees *Y. Erner*  
Demonstration of a change in nitrogen metabolism influencing flower initiation in *Citrus* *C. J. Lovatt, Y. Zheng and K. D. Hake*  
The regulation of flowering and fruit set in *Citrus*: Relationship with carbohydrate levels (Minireview) *A. Garcia-Luis, F. Fornes, A. Sanz and J. L. Guardiola*  
Fruit set and early berry development in two grapevine cultivars *R. Jona and R. Botta*  
Development of tomato fruits in several in vitro culture systems as compared with their growth on the vine *A. Varga, T. A. M. Geelen and J. Bruinsma*  
Metabolic activities during dormancy and blooming of deciduous fruit trees (Minireview) *S. Y. Wang and M. Faust*  
Solar irradiance and drought stress effects on the activity and concentration of ribulose biphosphate carboxylase in 'Valencia' orange leaves *J. C. V. Vu and G. Yelenosky*  
Effect of leaf distribution in the canopy on the total dry matter production in grapefruit trees *A. Cohen, A. Goell, S. Cohen and R. Ismajovitch*

Prepaid orders (Institutional: \$34; personal: \$25) should be sent to: The Weizmann Science Press of Israel, P.O.B. 801, Jerusalem 91007, Israel.

---